GIS REGISTRY INFORMATION

| SITE NAME: | Commercial | Prop | erty | | | | | | | |
|--|---|-------------------------|--|---------------|--|-------------|---------------|-------------------------|-----------------|-----------------|
| BRRTS #: | | | | | | | | | | |
| | (if appropriate): | | | | | | | | | |
| COMMERCE # | 53018-2131- | 22 | | | | | | . , | | |
| (if appropriate): | | | | | | | | | | |
| CLOSURE DATE: | September 3 | 3, 200 |)3 | | | | | | | |
| STREET ADDRESS: | 5422 Kettle I |)r | | | | | | | | |
| CITY: | Delafield | | | | | | | | | |
| SOURCE PROPERTY | GPS COOR | DINA | TES | X = | 653606 | <u> </u> | | Y = 287487 | 7 | |
| (meters in WTM91 pro | jection): | | | | | | | | | |
| CONTAMINATED ME | DIA: | Gr | oundwater | | | Soil | X | Both | | |
| OFF-SOURCE GW CO | TANIMAT | ON > | >ES: | | Yes | | | No | | |
| • IF YES, STREET A | DDRESS: | | | | | | | | | |
| GPS COORDINAT | ES | X = | | | ······································ | | Y = | | | |
| (meters in WTM91 pro | jection): | | | | | | | | | |
| OFF-SOURCE SOIL C | | TION | | Ye | S | | No | | | |
| >Generic or Site-Spe | cific RCL (S | SRCL | _): | | | | | | | |
| IF YES, STREET A | | | | | | | | | | |
| GPS COORDINAT | | X = | | | | | Y = | | | |
| (meters in WTM91 pro | | | | | | | ļ | | | |
| CONTAMINATION IN | RIGHT OF W | | Yes | | | | No | | | |
| | | | DOCUMEN. | <u>TS I</u> | NEEDED | <u>)</u> | | | | |
| Closure Letter, and any con- | ditional closure | letter i | ssued | | | | | | | X |
| Copy of most recent deed, in | ncluding legal de | escript | ion, for all affec | cted | properties | | | | | X |
| Certified survey map or rele | vant portion of t | he rec | orded plat map | (if re | ferenced in | the legal c | description |) for all affected p | roperties | X |
| County Parcel ID number, <i>if</i> | used for county | , for al | l affected prope | erties |) | | | | | Х |
| Location Map which outlines a | Il proportice within | ontami | nated site boundar | rioc o | n LISGS tone | aranhia m | an or plat i | man in sufficient detai | I to parmit the | V |
| parcels to be located easily (8.5x potable wells within 1200' of the s | 14" if paper copy). ite. | If grour | ndwater standards | are e | xceeded, the | map mus | t also inclu | de the location of all | municipal and | Ш |
| Detailed Site Map(s) for all wells and potable wells. (8.5x14" way in relation to the source prop | , if paper copy). Thi erty and in relation | s map s | shall also show the | e loca | tion of all cor | ntaminated | l public stre | ets, highway and rail | road rights-of- | 1 1 |
| exceeding ch. NR 720 generic or | | sulta /- | o cheding or c | rocc | hatchina\ | | | | | $\vdash \vdash$ |
| Tables of Latest Groundwate | er Anarytical Res | ouits (f | io shauling of C | 1055 | -natening) | | | | | |
| Tables of Latest Soil Analyti | cal Results (no | shadin | g or cross-hatc | hing |) | | | | | X |
| Isoconcentration map(s), if and extent of groundwater contam | required for site nination defined. If r | <i>inves</i> ot avai | <i>tigation (SI) (</i> 8.5 lable, include the | x14" lates | if paper copy it extent of c |). The isc | oconcentrat | ion map should have | flow direction | |
| GW: Table of water level ele | evations, with sa | mpling | dates, and fre | e pro | duct noted | l if prese | nt | | | |
| GW: Latest groundwater flois greater than 20 degrees) | ow direction/mor | itoring | g well location i | map | (should be | 2 maps | if maxim | um variation in flo | w direction | |
| SOIL: Latest horizontal exte | ent of contamina | tion ex | ceeding generi | ic or | SSRCLs, w | vith one o | contour | SEE DETAILED S | ITE MAP] | X |
| Geologic cross-sections, if i | required for SI. (| 8.5x14 | if paper copy) | | | | | | | X |
| RP certified statement that I | egal description | s are c | omplete and ac | cura | ite | | | | | Н |
| Copies of off-source notification | ation letters (if a | plical | ole) | | | | | | | X |
| Letter informing ROW owne | r of residual con | tamina | ation (if applica | ble)(| oublic, high | way or rai | ilroad RO | W) | | 団 |
| Copy of (soil or land use) de | ed restriction(s) | or de | ed notice if any | requ | iired as a c | ondition | of closur | re | | |

101 West Pleasant Street, Suite 100A

Milwaukee, Wisconsin 53212-3963 TDD #: (608) 264-8777 Fax #: (414) 220-5374





September 3, 2003

Mr. Norm Knief Lincoln Contractors Supply 11111 W. Hayes Ave. West Allis, WI 53227

RE:

Final Closure

Commerce # 53018-2131-22 WDNR BRRTS # 02-68-283380 Commercial Property, 5422 Kettle Dr., Delafield

Dear Mr. Knief:

The Wisconsin Department of Commerce (Commerce) has received all items required as conditions for closure of the site referenced above. This case is now listed as "closed" on the Commerce database and will be included on the Wisconsin Department of Natural Resources (WDNR) Geographic Information System (GIS) Registry of Closed Remediation Sites to address residual soil contamination that remains on site. It is in your best interest to keep all documentation related to the environmental activities that were conducted.

If residual contamination is encountered in the future, it must be managed in accordance with all applicable regulations. If it is determined that any remaining contamination poses a threat, the case may be reopened and further investigation or remediation may be required. If applicable, the PECFA claim for this site would also be reopened and you may apply for assistance to the extent of remaining eligibility.

Thank you for your efforts to bring this case to closure. If you have any questions, please contact me in writing at the letterhead address or by telephone at (414) 220-5402.

Sincerely,

Stephen D. Mueller

Hydrogeologist

Site Review Section

cc:

Mr. Joshua Neudorfer, Sigma Environmental Services, Inc.

Case File

06/18/2003

10:35

LINCOLN CONTRACTORS SUPPLY > 2715125

NO.567 P002



County, State of Wisconsin:

JCT 24 01 0 0 0 7 1 1

STATE BAR OF WISCONSIN FORM 1 1982

WARRANTY DEED

2712455 REGISTER'S OFFICE WAUKESHA COUNTY, WI RECORDED ON

10-24-2001 10:57 AM MICHAEL J. HASSLINGER REGISTER OF DEEDS 4.00 CO: 5.00 ST: 2.00 : 279.00 -STATILIS.00

THIS SPACE RESERVED FOR RECORDING DATA

MANGE AND RETURNATION FOR LOSS. TO WASH Affice LOSS. 530 27

Lot 2 of Cortified Survey Map No. -7744, recorded -- July 18, 1995, in Volume 66 of Certified Survey Maps, on Pages 215-217, as Document No. 2052677, being a

conveys to Grantee the following described real estate in _WAUKESHA

Wilnesseth, That the said Grantor, for a valuable consideration

This Deed, made between RONALD W. NICKEL

LINCOLN CONTRACTORS, SUPPLY, INC.

Redivision of Parcel 4 of Certified Survey Map No. 3620 and lands located in part of the

Southeast 1/4 of the Southwest 1/4 of Section 22, Township 7 North, Range 18 East, in the City of Delafield, County of Waukesha, State of Wisconsin.

DEBG: 0807 0982 00200

(Parcel Identification Number)

| 1 M1 2 | : not (න්) (is not) | _ homestead property. | | | | |
|--|--------------------------------|------------------------------|-------------|--|--------------------------|--------------|
| Together with | | the heredizaments and app | onricmancos | thereunto belonging; | | |
| warrants that the title municipal and | is good, indefeat zoning of | sible in fee simple and free | uts, r | of encumbrances except eatrictions, cove and aubsequent ye | | депсв |
| and will warrant and | defead the same | | | | | |
| Dated this | 6 | | day of | 0ct | 77 | (A) |
| | | (SEA | L) - | RONALD W. NICK | EL | (SEAL) |
| | | (SEAL | (۵ | | | (SEAL) |
| • | | | , | * | | |
| A | UTHENTIC | ATION | | ACKNO |)WLEDGMENT | |
| • ,, | | | - | STATE OF WISCONSIN | 17.028 | 17.0 2.0 |
| | | , 19 | - ` | Personally came before | no fire | bove pamed |
| • | | | _ | Kar (# - 1-16) | | |
| TITLE: MEMBER S' | - | WISCONSIN | _ | | 7. 10 2.32 | |
| authorized by §7 | | 1.) | | to me knows to be the pers foregoing instrument and ac- | | executed the |
| THIS INSTRUMEN | T WAS DAAFTE | BY | | MALLEREN | Stratuton. | |
| Attorney Dani | al R. Heid | en | - | · Coline | twolon | |
| • | thenticated or a | icknowledged, Both are no | ot . | My commission is perma | nent. (If not, state exp | |
| nocessary.) | | | | | | IXなのでツ) |




Stock No. 26273

CSM No. 305

2652677

CERTIFIED SURVEY MAP NO. 1744

being a redivision of a part of Parcel 4 of Certified Survey Map No. 3620 and lands located in part of the Southwest Quarter of the Southwest Quarter of Section 22, Town 7 North, Range 18 East, City of Delafield, Waukesha County, Wisconsin.



This instrument was drafted by Robert A. Hilmer.

Sheet 1 of 3 Sheets.

FORM NO. 985-A



Stock No. 26273

CERTIFIED SURVEY MAP NO. .7744

being a redivision of a part of Parcel 4 of Certified Survey Map No. 3620 and lands located in part of the Southwest Quarter of the Southwest Quarter of Section 22, Town 7 North, Range 18 East, City of Delafield, Waukesha County, Wisconsin.

SURVEYOR'S CERTIFICATE

State of Wisconsin)SS County of Waukesha)

I, Robert A. Hilmer. surveyor, do hereby certify: That I have surveyed, redivided and mapped part of Parcel 4 of Certified Survey Map No. 3620 recorded as Document No. 1096567 in Volume 27, pages 306-309 of Certified Survey Maps on June 27, 1979 in the office of the Register of Deeds, Waukesha County, Wisconsin and lands located in part of the Southwest Quarter of Section 22, Town 7 North, Range 18 East, City of Delafield, Waukesha County, Wisconsin, bounded and described as follows:

Commencing at the Southwest Corner of said Quarter Section; thence North 00° 50' 23" West along the West Line of said Quarter Section 1153.660 feet; thence South 82° 14' 02" East 1014.070 feet to the place of beginning of the lands hereinafter described; thence continuing South 82° 14' 02" East 242.830 feet; thence South 03° 56' 37" West 291.060 feet; thence South 81° 50' 45" East 200.000 feet; thence South 08° 09' 15" West 422.782 feet to a point on the North Line of Certified Survey Map No. 6594; thence South 88° 19' 00" West along said North Line 22.986 feet to the Northwest Corner of Lot 1 of said Certified Survey Map: thence Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Feet Right of Northwesterly 122 237 feet along the Right of Northwesterly 122 237 feet along Certified Survey Map; thence Northwesterly 122.237 feet along the East Right-of-Way Line of Kettle Drive and the arc of a curve having a radius of 339.000 feet and whose center lies to the Southwest, chord bears North 41° 34' 57.5" West 121.576 feet to the point of tangency of said curve; thence North 51° 54' 45" West along the East Right-of-Way Line of Kettle Drive 303.880 feet to a point of curve; thence Northwesterly 110.161 feet along the East Right-of-Way Line of Kettle Drive and the arc of a curve having a radius of 113.000 feet and whose center lies to the Northeast, chord bears North 23° 59' 04" West 105.850 feet to the point of tangency of said curve; thence North 03° 56' 37" East along the East Right-of-Way Line of Kettle Drive 396.570 feet to the place of beginning, containing 196,693 square feet of land, or 4.51545 acres of land. That I have made such survey, redivision and map by the direction of Ronald W.

Delafield

Delafield

ROPERT A.

Province

BOLL Nickel, owner of said land. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Division Ordinance of the City of Delafield in surveying,

redividing and mapping the same. Dated this 1st day of March, 1995.

Robert A. Hilmer, Registered Wisconsin Land Surveyor #904 Hilmer Engineering, Inc.

OWNER'S CERTIFICATE OF DEDICATION

As owner, I hereby certify that I have caused the land described herein to be surveyed, redivided and mapped as represented on the map. I also certify that this map is required by Chapter 236 of the Wisconsin Statutes and the Subdivision Ordinance of the City of Delafield.

WITNESS the hand and seal of said owner this 1st day of June

Minnie SURVE LINE

Ronald W. Nickel,

Souta B Gedrey) stary Public, Wherhocher Cty,

Sheet 2 of 3 Sheets.



Stock No. 26273

CERTIFIED SURVEY MAP NO. 7744

being a redivision of a part of Parcel 4 of Certified Survey Map No. 3620 and lands located in part of the Southwest Quarter of the Southwest Quarter of Section 22, Town 7 North, Range 18 East, City of Delafield, Waukesha County, Wisconsin.

STATE OF COUNTY OF

Personally came before me this 1st day of www. 1995, Ronald W. Nickel, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public, State of
My commission expires 5/9/99

PLANNING COMMISSION APPROVAL

Approved by the Planning Commission of the City of Delafield on this 29th day of March. 1995.

Marilyn Ozubkowski, Secretary

E. J. McAleer, Chairman

COMMON COUNCIL APPROVAL

Approved by the Common Council of the City of Delafield on this 30 day of

Marilyn Czubkowski, Clerk

Æ. J. McAleer, Mayor

REGISTER'S OFFICE

Whatsohe Co., MR)

2052677

DE CENTED FOR RECORD THE 18 TH


9:18 O'000 (1' N 0 000)

Wild 66 or CSm's on 100920 215-217

Muchan of Hags Magger

m Loughers.

FOR SOLUTION AND ASSESSMENT OF THE PARTY OF



Source:

USGS Hartland, Wisconsin (1959; revised 1994) 7.5-Minute Series (topographic)

Quadrangle Map

Scale:


1:24,000

Contour Interval:

10 Feet

FIGURE 1 Subject Property Location

Commercial Building 5422 Kettle Drive Delafield, Wisconsin Project No. 1E-0108004





| DSIGMA | Made by AJR | Date 8/29/01 | Project No. 6964 | | | |
|----------------------|----------------|--------------|------------------|--|--|--|
| | Checked by | Date | Sheet No. | | | |
| For 5422 KeHle Drive | Delafield, WI: | SITE MAP | | | | |




Table 1 Soil Quality Results 5422 Kettle Drive, Delafield, WI

Sigma Project No. 6964

| | | | | | | | ima Projec | St NO. 096 | 4 | | | | | | | |
|------------------------|--------|------------|------------|------------|------------|------------|---------------|------------|------------|------------|------------|-------------|---------------|----------|---------|-------------|
| Soil Boring ID: | | GP-1 | GP-2 | GP-3 | GP-4 | GP-5 | MeOH Blank | GF | '-4B | GP-5 | GP-6 | GP-7 | MEOH Blank | | | |
| Sample Depth (ft) | | 2 - 4 | 4 - 6 | 0 - 2 | 2 - 4 | 10 - 12 | | 4 - 6 | 8 - 10 | 4 - 6 | 4 - 6 | 4-6 | | NR 720 | COMM 46 | COMM 46 |
| Collection Date: | | 08/27/2001 | 08/27/2001 | 08/27/2001 | 08/27/2001 | 08/27/2001 | 08/27/2001 | 09/20/2001 | 09/20/2001 | 09/20/2001 | 09/20/2001 | 09/20/2001 | 09/20/2001 | RCL | Table 1 | Table 2 |
| Parameter | Units | | | | | | | | | | Ī | i | | <u> </u> | | |
| PID | i.u.i. | 66.3 | 20.3 | 49.3 | 25.1 | 7.0 | | 6.1 | 5.1 | 5.1 | 3.0 | 3.5 | | NS | NS | NS |
| DRO | mg/kg | 14.6 | 12.1 | <5.13 | 185 | 7.15 | NA | 42.4 | 6.33 | 82.3 | 20.3 | 96.5 | NA NA | 100 | NS | NS |
| GRO | mg/kg | NA | NA | NA | NA | NA | NA | <5.27 | <5.53 | <5.18 | <5.19 | <5.21 | NA NA | 100 | NS | NS |
| PVOCs | | | | | | | | | | | | | 177 | 100 | | 110 |
| Benzene | μg/kg | <25 | <25 | <25 | 29.2 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | 5.5 | 8,500 | 1,100 |
| Ethylbenzene | μg/kg | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | 2,900 | 4,600 | NS |
| Methyl-t-butyl-ether | μg/kg | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | NS | NS | NS |
| Toluene | μg/kg | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | 1,500 | 38,000 | NS |
| 1,2,4-Trimethylbenzene | µg/kg | <25 | <25 | <25 | 164 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | NS | 83,000 | NS |
| 1,3,5-Trimethylbenzene | µg/kg | <25 | <25 | <25 | 325 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | NS | 11,000 | NS |
| Xylenes (Total) | μg/kg | <25 | <25 | <25 | 65.6 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | 4,100 | 42,000 | NS |
| Detected VOCs | | | | | | | | | | | | | | | | |
| n-Butylbenzene | µg/kg | <25 | <25 | <25 | 458 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| sec-Butylbenzene | μg/kg | <25 | <25 | <25 | 482 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| tert-Butylbenzene | μg/kg | <25 | <25 | <25 | 351 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| Isopropylbenzene | μg/kg | <25 | <25 | <25 | 798 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| p-Isopropyltoluene | μg/kg | <25 | <25 | <25 | 518 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| n-Propylbenzene | μg/kg | <25 | <25 | <25 | 231 | <25 | <25 | NA | NA | NA | NA | NA | NA | NS | NS | NS |
| Notes: | | | | | | | | | | | | ··········· | | | | |

Notes

- 1. Laboratory analyses were performed by Great Lakes Analytical (Oak Creek, WI) in accordance with WDNR Modified DRO Method and USEPA Method Number 8021 (VOCs).
- 2. PID = Photoionization detector
- 3. DRO = Diesel range organics, GRO = Gasoline range organics
- 4. i.u.i. = instrument units as isobutlene (reported in ppm)
- 5. µg/kg = micrograms per kilogram (equivalent to parts per billion, ppb)
- 6. NA = not analyzed
- 7. NR 720 RCL = Chapter NR 720 generic Residual Contamination Level
- 8. Comm 46 Table 1 = Code Comm 46, Table 1: Indicators of Residual Petroleum Products in Soil Pores
- 9. Comm 46 Table 2 = Code Comm 46, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil
- 10. NS = No standard established
- 11. Exceedances: bold =

bold = Concentration exceeds NR 720 RCL




FIGURE 4 - GENERALIZED GEOLOGIC CROSS SECTION A-A'

GIS Registry Packet Lincoln Contractors Supply, Inc.

STATEMENT BY RESPONSIBLE PARTY

Lincoln Contractors Supply, Inc., the responsible party for the property located at 5422 Kettle Drive, Delafield, Wisconsin, states that the legal description provided to the Wisconsin Department of Commerce (and attached to this statement) for case file reference 53018-2131-22 is complete and accurate to the best of our knowledge.

Signature of Representative for Responsible Party

MORMAN C KNIEF